



# SBI Ltd

## Sun Blinds Installations

0800 0742 721 [sbi.install@btinternet.com](mailto:sbi.install@btinternet.com) [www.sbiproducts.co.uk](http://www.sbiproducts.co.uk)



# PROUDLY MADE & ASSEMBLED IN THE UK

## WHO WE ARE?

Our factory was founded to offer an affordable and seamless approach to awnings. With years of experience we have created an efficient process that eliminates the need for a middle man. Instead, from our factory based just outside of London, but servicing the entirety of the UK, we manufacture and advise on all your awning requirements.

Harnessing the latest technology to create long-lasting awnings and to build meaningful relationships with our clients, we are proud of our service and the awnings we create.

## WHY CHOOSE US?



Quality Assurance



Affordability



Fast Turnaround



UK Warehouse Stock



Technical Support



In-house Steel Fabrication




## INDEX

STRAND RANGE .....	4-5
STANDARD LED   Open cassette with LED lights .....	6-7
STRAND BRIGHT VISION   Open cassette with LED front bar .....	8-9
STRAND DV   Open cassette with drop down valance .....	10-11
STRAND T RANGE   Open cassette with LED lights .....	12-13
MAYFAIR   Full cassette .....	14-15
KENSINGTON   Full cassette slim line .....	16-17
VICTORIA RANGE .....	18-19
VICTORIA S100   Victorian awning with steel box .....	20-21
VICTORIA W500   Victorian awning with hardwood box .....	22-23
VICTORIA W250   Victorian awning semi boxed with round arms .....	24-25
HOXTON   Roller blind .....	26
MOORGATE   Zip system .....	27
CHELSEA RANGE .....	28-29
CHELSEA   Drop arm awning .....	30-31
CHELSEA METAL ARM   Drop arm awning with metal arms .....	32-33
BOW   Dutch canopy .....	34-35
CAMDEN   Wedge canopy .....	36-37
BRIXTON   Giant Arms .....	38-39
REMOTE CONTROLS .....	40-41
FABRICS .....	42-43
SIGN WRITTING .....	44-45
STEEL BRACKETS .....	46-47
TELESCOPIC LEGS .....	48-49
SIDE CURTAINS .....	50
WARNING & NOTES .....	51

# STRAND RANGE



STRAND  
LED LIGHTS



STRAND  
BRIGHT VISION

NEW  
PRODUCT



STRAND  
T-RANGE

NEW  
PRODUCT



STRAND  
DROP VALANCE

NEW  
PRODUCT

# SEMI CASSETTE AWNING

STRAND LED



## TECHNICAL INFO

- **Frame:** Made from aluminium extrusions with aluminium parts and components
- **Arms:** Made from aluminium extrusions with double springs and stainless steel chain
- **Fabric:** Acrylic or Polyester available
- **Operation:** Motorised using powerful 45-120NM motor (depending on size), with mechanical limit and emergency override. Built in transformer to enable LED function.
- **Lights:** Built in LED lights in the arm, in daylight white with ON/OFF function.
- **Sensor:** Wireless battery operated motion sensor attached to the awning included

## AVAILABLE IN TWO STANDARD COLOURS

RAL 7016  
ANTHRACITE GREY

RAL 9003  
WHITE

## OPTIONS

- **Size:** Start from 2.2m to 7m wide in one piece, 7m to 12m in two pieces (to be assembled on site)
- **Arm Size:** 1.5m, 2m, 2.5m, 3m, 3.5m
- **Frame Colour:** Available in White and Anthracite Grey as standard.
- **Fabric Colour:** 100's of colours available from top European suppliers
- **Valance:** 200mm straight valance included

## ADDITIONAL EXTRAS


- **Frame:** Frames can be powder coated to most K7 RAL colours
  - **Signwriting:** Logos and text can be printed on the main cover and valance
  - Weighted rod can be added to the valance
  - Additional valance can be ordered
  - Additional remote controls can be ordered
- NOTE** Side and Front curtains can be attached
- NOTE** **Telescopic Legs:** Available in White and Anthracite Grey
- NOTE** **Jockey Roll:** Can be used with this system

**NOTE** See page 51 for more information

# SEMI CASSETTE AWNING

STRAND  
BRIGHT VISION

NEW  
PRODUCT



## TECHNICAL INFO

- **Frame:** Made from aluminium extrusions with aluminium parts and components
- **Arms:** Made from aluminium extrusions with double springs and stainless steel chain
- **Fabric:** Acrylic or Polyester available
- **Operation:** Motorised using powerful 45-120NM motor (depending on size), with mechanical limit and emergency override. Built in transformer to enable LED function.
- **Lights:** Built in LED lights in the front bar, in daylight white with ON/OFF function.
- **Sensor:** Wireless battery operated motion sensor attached to the awning included

## AVAILABLE IN TWO STANDARD COLOURS

RAL 7016  
ANTHRACITE GREY

RAL 9003  
WHITE

## OPTIONS

- **Size:** Start from 2.2m to 7m wide in one piece, 7m to 12m in two pieces (to be assembled on site)
- **Arm Size:** 1.5m, 2m, 2.5m, 3m, 3.5m
- **Frame Colour:** Available in White and Anthracite Grey as standard.
- **Fabric Colour:** 100's of colours available from top European suppliers.
- **Light Functions:** LED in the arms and front bar can be operated simultaneously with one remote or separately via remote and wall switch
- **Valance:** 200mm straight valance included

## ADDITIONAL EXTRAS

- **Frame Colour:** Frames can be powder coated to most K7 RAL colours
- **Lights:** LED Lights in the arms
- Weighted rod can be added to the valance
- Additional valance can be ordered
- Additional remote controls can be ordered
- **Signwriting:** Logos and text can be printed on the main cover and valance

- NOTE** Side and Front curtains can be attached
- NOTE** **Telescopic Legs:** Available in White and Anthracite Grey
- NOTE** **Jockey Roll:** Can be used with this system

**NOTE** See page 51 for more information

## LED CONFIGURATIONS

- Front Bar + Standard arms  
1 x remote control
- Front Bar + LED arms, ON/OFF together  
1 x remote control
- Front Bar + LED arms, ON/OFF Separately  
1x remote control and 1 internal switch

# DROP DOWN VALANCE

STRAND DV

NEW  
PRODUCT



## TECHNICAL INFO

- **Drop Valance Operation:** Manual with small winding handle
- **Frame:** Made from aluminium extrusions with aluminium parts and components
- **Arms:** Made from aluminium extrusions with double springs and stainless steel chain
- **Fabric:** Acrylic or Polyester available
- **Operation:** Manual or motorised using powerful 45-120NM motor (depending on size), with mechanical limit and emergency override. Built in transformer to enable LED function
- **Lights:** LED lights are not included
- **Sensor:** Wireless battery operated motion sensor attached to the awning included

Telescopic Legs

## AVAILABLE IN TWO STANDARD COLOURS

RAL 7016  
ANTHRACITE GREY

RAL 9003  
WHITE

## ADDITIONAL EXTRAS

- **Frame:** Powder coating not available
- **Lights:** LED Lights in the arms
- **Signwriting:** Logos and text can be printed on the main cover and valance
- Eyelets can be added to the valance
- Additional valance can be ordered
- Additional remote controls can be ordered
- Weighted rod can be added to the valance

**NOTE** Side and Front curtains can be attached

**NOTE** **Telescopic Legs:** Available in White and Anthracite Grey, recommended with this system

**NOTE** **Jockey Roll:** Can be used with this system

## OPTIONS

- **Size:** Start from 2.2m to 6m wide in one piece
- **Arm Size:** 1.5m, 2m, 2.5m, 3m, 3.5m
- **Frame Colour:** Available in White and Anthracite Grey as standard.
- **Fabric Colour:** 100's of colours available from top European suppliers
- **Valance:** 300mm straight valance + up to 1600mm drop valance

**NOTE** See page 51 for more information

# SEMI CASSETTE AWNING

STRAND T-Range



## TECHNICAL INFO

- **Frame:** Made from aluminium extrusions with aluminium parts and components
- **Arms:** Made from aluminium extrusions with double springs and stainless steel chain
- **Fabric:** Acrylic or Polyester available
- **Operation:** Motorised using powerful 45NM motor, with mechanical limit and emergency override. Built in transformer to enable LED function.
- **Lights:** Built in LED lights in the arm, in warm white with dimmable function.
- **Sensor:** Wireless battery operated motion sensor attached to the awning included



AVAILABLE IN ONE  
STANDARD COLOUR

RAL 9003  
WHITE

## OPTIONS

- **Size:** Start from 3.2m to 6m wide
- **Arm Size:** 2.5m only
- **Frame Colour:** Available in White as standard
- **Fabric Colour:** 100's of colours available from top European suppliers
- **Valance:** 200mm straight valance included

## ADDITIONAL EXTRAS

- **Frame:** Powder coating not available
- **Signwriting:** Logos and text can be printed on the main cover and valance
- Additional valance can be ordered
- Additional remote controls can be ordered
- Weighted rod can be added to the valance

**NOTE** Side and Front curtains can be attached

**NOTE** Telescopic Legs: Available in White

**NOTE** Jockey Roll: Can be used with this system

**NOTE** See page 51 for more information

# FULL CASSETTE AWNING

## MAYFAIR



### TECHNICAL INFO

- **Frame:** Made from aluminium extrusions with aluminium parts and components
- **Arms:** Made from aluminium extrusions with double springs and twin coated cables and integrated LED
- **Fabric:** Acrylic or Polyester available
- **Operation:** Motorised only using powerful 80NM motor, with mechanical limit and emergency override. Built in transformer to enable LED function.
- **Lights:** Built in LED lights in the front section of the arm, in warm white with dimmable function.
- **Sensor:** Wireless battery operated motion sensor attached to the awning included



#### AVAILABLE IN TWO STANDARD COLOURS

RAL 7016  
ANTHRACITE GREY

RAL 9003  
WHITE



### OPTIONS

- **Size:** Start from 2.3m to 7m wide, in one piece
- **Arm Size:** 1.5m, 2m, 2.5m, 3m, 3.5m
- **Frame Colour:** Available in White and Anthracite Grey as standard
- **Fabric Colour:** 100's of colours available from top European suppliers
- **Valance:** 200mm straight valance included

### ADDITIONAL EXTRAS

- **Frame:** Frames can be powder coated to most K7 RAL colours
- **Signwriting:** Logos and text can be printed on the main cover and valance
- Additional valance can be ordered
- Additional remote controls can be ordered


**NOTE** Telescopic Legs: Available in White and Anthracite Grey

**NOTE** See page 51 for more information



# FULL CASSETTE AWNING

## KENSINGTON



### TECHNICAL INFO

- **Frame:** Made from aluminium extrusions with aluminium parts and components
- **Arms:** Made from aluminium extrusions with double springs and twin coated cables
- **Fabric:** Acrylic available
- **Operation:** Motorised only using powerful 50NM motor, with mechanical limit and emergency override
- **Lights:** Not available
- **Sensor:** Wireless battery operated motion sensor attached to the awning included



### AVAILABLE IN TWO STANDARD COLOURS

RAL 7016  
ANTHRACITE GREY

RAL 9003  
WHITE

### OPTIONS

- **Size:** 3.5m wide only
- **Arm Size:** 2.5m only
- **Frame Colour:** Available in White and Anthracite Grey as standard
- **Fabric Colour:** 100's of colours available from top European suppliers
- **Valance:** 200mm straight valance included

### ADDITIONAL EXTRAS

- **Frame:** Powder coating not available
  - **Signwriting:** Not available
  - Additional valance can be ordered
  - Additional remote controls can be ordered
- NOTE** Telescopic Legs: Not available

**NOTE** See page 51 for more information

# VICTORIA RANGE



**S100**  
Steel Box

**NEW**  
PRODUCT




**W500**  
Hardwood Box



**W250**  
Semi boxed with round arms

**NEW**  
PRODUCT



**W250**  
Semi boxed with traditional arms


**NEW**  
PRODUCT

# TRADITIONAL VICTORIAN AWNING

**VICTORIA S100**

Steel Box

NEW PRODUCT



## TECHNICAL INFO

- **Box:** Folded from one piece galvanized steel plate
- **Front Bar:** Crafted from 2 parts Maranti hardwood with a routed rain channel
- **Tube & Spring:** 3.5" steel tube with 6mm spring assembly and dummy end
- **Fabric:** Acrylic or Polyester available
- **Operation:** Manual pull down
- **Arms:** Forged from 22mm round solid steel with cast steel top straps and cannon shoes
- **Sliders:** 22mm round solid steel with cast steel top and bottom wall brackets



## OPTIONS

- **Size:** Start from 1.5m to 8m wide
- **Arm Size:** 1m to 2.2m horizontal projection
- **Box Colour:** Can be powder coated to most K7 RAL colours
- **Front Bar Colour:** Primed and undercoated, followed by 2 top coats with paint of choice or stained
- **Fabric Colour:** 100's of colours available from top European suppliers
- **Valance:** 200mm straight valance included
- **P Channels:** Valance attached to the front bar with P channel
- **Nailed:** Main cover attached to front bar with traditional nails

## ADDITIONAL EXTRAS

- **Ironmongery:** Can be powder coated to most K7 RAL colours
- **Signwriting:** Logos and text can be printed on the main cover and valance
- Additional valance can be ordered if with P Channel
- Side and Front curtains can be attached

# TRADITIONAL VICTORIAN AWNING

**VICTORIA W500**  
Hardwood Box



## TECHNICAL INFO

- **Box:** Crafted from Maranti and Sapele hardwood
- **Front Bar:** Crafted from 2 parts Maranti hardwood with a routed rain channel
- **Tube & Spring:** 3.5" steel tube with 6mm spring assembly and dummy end
- **Fabric:** Acrylic or Polyester available
- **Operation:** Manual pull down
- **Arms:** Forged from 22mm round solid steel with cast steel top straps and cannon shoes
- **Sliders:** 22mm round solid steel with cast steel top and bottom wall brackets



## OPTIONS

- **Size:** Start from 1.5m to 8m wide
- **Arm Size:** 1m to 2.2m horizontal projection
- **Box Colour:** Primed and undercoated, followed by 2 top coats with paint of choice or stained
- **Front Bar Colour:** Primed and undercoated, followed by 2 top coats with paint of choice or stained
- **Fabric Colour:** 100's of colours available from top European suppliers
- **Valance:** 200mm straight valance included
- **P Channels:** Valance attached to the front bar with P channel
- **Nailed:** Main cover attached to front bar with traditional nails



## ADDITIONAL EXTRAS

- **Ironmongery:** Can be powder coated to most K7 RAL colours
- **Signwriting:** Logos and text can be printed on the main cover and valance
- Additional valance can be ordered if with P Channel
- Side and Front curtains can be attached

# TRADITIONAL VICTORIAN AWNING

## VICTORIA W250

Semi boxed with  
round front bar



### TECHNICAL INFO

- **Box:** half box, crafted from Maranti and Sapele hardwood
- **Front Bar:** 63mm galvanised round tube, powder coated in most K7 RAL colours
- **Tube & Spring:** 3.5" steel tube with 6mm spring assembly and dummy end
- **Fabric:** Acrylic or Polyester available
- **Operation:** Manual pull down
- **Arms:**  
Forged from 22mm round solid steel welding to 63mm ring and cannon shoes.  
  
63mm galvanised round tube with T connector



### OPTIONS

- **Size:** Start from 1.5m to 6m wide
- **Arm Size:** 1m to 1.8m horizontal projection
- **Box Colour:** Primed and undercoated, followed by 2 top coats with paint of choice or stained
- **Front Bar Colour:** can be powder coated in most K7 RAL colours
- **Fabric Colour:** 100's of colours available from top European suppliers
- **Valance:** None

### ADDITIONAL EXTRAS

- **Ironmongery:** Can be powder coated to most K7 RAL colours
- **Signwriting:** Logos and text can be printed on the main cover
- Side curtains can be added

# ROLLER BLIND

HOXTON

# ZIP SYSTEM

MOORGATE



## TECHNICAL INFO

- **Frame:** Extruded aluminium top board and front rails with stainless steel side rails
- **Front Bar:** Weighted or extra stability
- **Fabric:** 100's of fabric colours from top European suppliers
- **Operation:** Manually operated or powered by a strong and reliable motor with remote control
- **Size Range:**  
Drop: from 1m to 2.8m | Width: 1m to 5m
- **Signwriting:** Logos and text can be printed on the main cover

AVAILABLE IN ONE  
STANDARD COLOUR

RAL 9003  
WHITE



## TECHNICAL INFO


- **Frame:** Frame made from aluminium extrusion with aluminium parts and components
- **Frame Colour:** Available in anthracite grey as standard
- **Fabric:** Acrylic, polyester or mesh available.
- **Operation:** Motorised using powerful 45nm motor
- **Size:** Width 1m to 4m | Height from 1m to 3m

AVAILABLE IN ONE  
STANDARD COLOUR

RAL 7016  
ANTHRACITE GREY

## ADDITIONAL EXTRAS

- **Frame:** Powder coating not available
- **Signwriting:** Logos and text can be printed on the cover
- Additional remote control can be ordered





# CHELSEA RANGE



**CHELSEA**  
Drop Arm Awning



**CHELSEA METAL ARM**  
Drop Arm Awning

# DROP ARM AWNING

CHELSEA



## TECHNICAL INFO

- **Frame:** Made from aluminium extrusions with aluminium parts and components
- **Fabric:** Acrylic or Polyester available
- **Arms:** Spring loaded aluminium round arms
- **Operation:** Manual or motorised using powerful 45NM motor, with mechanical limit and emergency override.

## OPTIONS

- **Size:** Start from 1 m to 6m wide
- **Arm Size:** 0.8m to 1.4m horizontal projection
- **Frame Colour:** Available in White and Anthracite Grey as standard
- **Pitch:** Set to 90 degree as standard, on request up to 135 degrees
- **Fabric Colour:** 100's of colours available from top European suppliers
- **Valance:** 200mm straight valance included

## AVAILABLE IN TWO STANDARD COLOURS

RAL 7016  
ANTHRACITE GREY

RAL 9003  
WHITE

## ADDITIONAL EXTRAS

- **Frame:** Powder coating not available
- **Signwriting:** logos and text can be printed on the main cover and valance
- Additional valance can be ordered
- Additional remote controls can be ordered



# DROP ARM AWNING

CHELSEA

Metal Arm

NEW  
PRODUCT



## TECHNICAL INFO

- **Frame:** Made from aluminium extrusions with aluminium parts and components
- **Front Bar:** 63mm galvanised round tube, powder coated in most K7 RAL colours
- **Fabric:** Acrylic or Polyester available
- **Operation:** Manual or motorised using powerful 45NM motor, with mechanical limit and emergency override.
- **Arms:** 63mm galvanised round tube with T connector

## OPTIONS

- **Size:** Start from 1 m to 6m wide
- **Arm Size:** 0.8m to 2m horizontal projection
- **Frame Colour:** Available in White and Anthracite Grey as standard
- **Pitch:** Set to 90 degree as standard, on request up to 135 degrees
- **Fabric Colour:** 100's of colours available from top European suppliers

## AVAILABLE IN TWO STANDARD COLOURS

RAL 7016  
ANTHRACITE GREY

RAL 9003  
WHITE

## ADDITIONAL EXTRAS

- **Ironmongery:** Can be powder coated to most K7 RAL colours
- **Signwriting:** logos and text can be printed on the main cover and valance
- Additional remote controls can be ordered

# DUTCH CANOPY

**BOW**



## TECHNICAL INFO

- **Frame:** Made of extruded aluminium in three colours white, anodised, anthracite gray
- **Joints:** Made of glass filled nylon in white, grey and anthracite grey
- **Fixing:** Easy to install by using aluminium hooks
- **Fabric:** 100's of fabric colours from top European suppliers
- **Operation:** Retractable through a cord and pulley system or fixed in place
- **Trims:** Made of flexible plastic to hide staples
- **Size:** Projection: 0.6 to 1.5m | Width: 1m to 7m



# WEDGE CANOPY

CAMDEN




## TECHNICAL INFO

- **Frame:** Made of extruded aluminium in three colours white, anodised, anthracite gray
- **Joints:** Made of glass filled nylon in white, grey and anthracite grey
- **Fixing:** Easy to install by using aluminium hooks
- **Fabric:** 100's of fabric colours from top European suppliers
- **Operation:** Fixed
- **Trims:** Made of flexible plastic to hide staples
- **Size:** Projection: 0.6 to 1.2m | Width: 1m to 6m



# GIANT AWNINGS

**BRIXTON**



AVAILABLE IN ONE  
STANDARD COLOUR

RAL 7016  
ANTHRACITE GREY

## TECHNICAL INFO

- **Frame:** Aluminium frame and components in anthracite grey RAL 7016 as standard
- **Arms:** Aluminium arms with double springs and a double stainless steel chains
- **Front Bar:** Aluminium profile with extra strength to withstand the arms power and the large fabric weight
- **Aluminium Hood:** Aluminium cover with side caps, in Anthracite grey RAL7016 added to the frame separately
- **Fabric:** Swela Fabrics only
- **Operation:** Strong reliable motor with emergency manual override and remote control
- **Telescopic Legs:** Recommended for extra stability
- **Size:** Projection: Arms available in 4m, 4.5 and 5m  
Width: 5m and up to 6m



# REMOTE CONTROLS



**RC1:** SINGLE CHANNEL REMOTE CONTROL

**COMPATIBLE MODELS**

- ✓ STRAND ✓ KENSINGTON
- ✓ BRIXTON ✓ CHELSEA ✓ HOXTON



**RC15:** MULTI CHANNEL REMOTE CONTROL CAN OPERATE UP TO 15 MOTORS SEPARATELY OR ALL TOGETHER

**COMPATIBLE MODELS**

- ✓ STRAND ✓ KENSINGTON
- ✓ BRIXTON ✓ CHELSEA ✓ HOXTON



**RC1 LED:** SINGLE CHANNEL REMOTE CONTROL + OFF/ON LED

**COMPATIBLE MODELS**

- ✓ STRAND LED
- ✓ STRAND BRIGHT VISION



**RC1 DM LED:** SINGLE CHANNEL REMOTE CONTROL + DIMMABLE LED

**COMPATIBLE MODELS**

- ✓ MAYFAIR
- ✓ STRAND T RANGE



**WRCS1:** WALL MOUNTED SINGLE CHANNEL REMOTE CONTROL

**COMPATIBLE MODELS**


- ✓ STRAND ✓ KENSINGTON
- ✓ BRIXTON ✓ CHELSEA ✓ HOXTON



**WRCS15 :** WALL MOUNTED MULTI CHANNEL REMOTE CONTROL CAN OPERATE UP TO 15 MOTORS SEPARATELY OR ALL TOGETHER

**COMPATIBLE MODELS**

- ✓ STRAND ✓ KENSINGTON
- ✓ BRIXTON ✓ CHELSEA ✓ HOXTON



**MS1000:** MOTION SENSOR, COMPATIBLE TO ALL OUR MOTOR RANGE. BATTERY OPERATED




**P BOX:** WIFI BRIDGE TO ALLOW YOU TO OPERATE YOUR AWNING VIA PHONE APP

# FABRICS

WE STOCK A WIDE VARIETY OF **ACRYLIC** AND **POLYESTER** FABRICS FOR YOU TO CHOSE FROM.

THEY SHARE A LOT OF SIMILAR PROPERTIES SUCH AS, LARGE SELECTION OF COLOURS AND DESIGNS



## ACRYLIC VS POLYESTER

From our years of experience there are some properties that each fabric type perform better in:

- Colour Vividity: **Polyester** ✓
- Transparency/Light Blocking: **Polyester** ✓
- Water Repellent: **Acrylic** ✓
- Cleaning: **Polyester** ✓

### The main differences to consider are:





Weave stability - leading to honeycombing and ripple effect.

**We recommend:** Polyester - high-tech material and treatments greatly reduce the honeycombing effect and give the fabric memory to retain the shape without sagging, resulting in a better aesthetic.

## UK'S ONLY SEAMLESS GLUING MACHINE

TO WELD AND GLUE AN INFINITE RANGE OF TECHNICAL TEXTILES AND INDUSTRIAL FABRICS






# STEEL BRACKETS





# TELESCOPIC LEGS



## TECHNICAL INFO

- **Frame:** Made of extruded anodised aluminium, with stainless steel ball heads
- **Fixings:** The base plate is dome shaped with a smooth edge. The legs have ball heads at the ends with an easy click and release operation in the base plate
- **Operation:** Manual only adjusting with a turned knob
- **Size:** One size to fit all from 1800mm to 3500mm  
Base plate 110mm diameter

### AVAILABLE IN TWO STANDARD COLOURS

RAL 7016  
ANTHRACITE GREY

RAL 9003  
WHITE

# SIDE CURTAINS



# WARNINGS & NOTES

## SIDE CURTAINS

1. Your Awning Warranty would be invalid if you fit side curtains
2. It is recommended you fit legs to the awning
3. The remote control should not be used whilst the side curtains are fitted
4. Side labs do not create a full seal and gaps should be expected
5. The fabric will flap and pull in the wind when using snap hook and damage to the fabric may occur
6. Care should be taken when taking off and putting on the curtains

## TELESCOPIC LEGS

1. Your Awning Warranty would be invalid if you fit front legs
2. Motion sensors cannot be fitted when telescopic legs installed
3. The remote control should not be used whilst the telescopic legs are fitted
4. Care should be taken when taking off and putting on the telescopic legs

## JOCKEY ROLL

1. Your Awning Warranty would be invalid if you fit jockey roll
2. Motion sensor cannot be fitted when jockey roll installed
3. The remote control should not be used whilst the jockey roll is fitted
4. Jockey roll must be retracted prior to closing the awning.



## WARRANTY

All our products come with a warranty



**SBI Ltd - SUN BLINDS INSTALLATIONS**  
**[www.sbiproducts.co.uk](http://www.sbiproducts.co.uk)**